

Test Report

No. CANEC1901429301

Date: 27 Feb 2019

Page 1 of 3

HUIZHOU YIHAI DA INDUSTRY DEVELOPMENT CO.,LTD

YANGWU 2ND ROAD, HUINAN AVENUE, HUIYANG DISTRICT, HUIZHOU CITY, GUANGDONG PROVINCE

The following sample(s) was/were submitted and identified on behalf of the clients as : BAMBOO FIBER INTEGRATED WALLBOARD

SGS Job No. : CP19-003644 - GZ

Date of Sample Received : 21 Jan 2019

Testing Period : 21 Jan 2019 - 25 Feb 2019

Test Requested : Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted sample(s), the results comply with the requirements of Formaldehyde Release Content in GB 18580-2017.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Violet, Shi
Approved Signatory



Test Report

No. CANEC1901429301

Date: 27 Feb 2019

Page 2 of 3

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	CAN19-014293.001	White wood w/ brown backing

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

GB 18580-2017-Formaldehyde Emission

Test Method : With reference to GB 18580-2017, analysis was performed by UV-Vis.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Formaldehyde Emission	0.124	mg/m ³	0.080	ND

Notes :

- 1. mg/m³: milligram per cubic meters
- 2. Limit identifying E1≤0.124 mg/m³



Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***